

01

- 0.1 Ugaone spojnice sa imbus vijkom
- 0.3 Ugaone spojnice za klizne sisteme
- 0.4 Ugaone spojnice za štipanje
- 0.5 Spojnice za sisteme drvo-aluminijum
- 0.6 Uglići-limeni
- 0.7 Master spojnice





Index

01,02 Ugaone spojnice sa imbus vijkom Corner joints with allen screw.....	4-19
03 Ugaone spojnice za klizne sisteme Corner joints for sliding system.....	21-23
04 Ugaone spojnice za štipanje Pinch corner connectors	25-27
05 Ugaone spojnice za sisteme drvo-aluminjum Corner joints for wood-aluminum systems ..	29-36
06 Uglići Corners	37-38
06 Master spojnice Master coupling	40-41

01,02 Ugaone spojnice sa imbus vijkom

Ugaona spojnica 17x14	4
Ugaona spojnica 23x18	5
Ugaona spojnica 24x19	6
Ugaona spojnica 26x23	7
Ugaona spojnica 28x14	8
Ugaona spojnica 28x19	9
Ugaona spojnica 28x38,5	10
Ugaona spojnica 28x42	11
Ugaona spojnica 28x36	12
Ugaona spojnica 28x31.....	13
Ugaona spojnica 31x18	14
Ugaona spojnica 33x14	15
Ugaona spojnica 35x18	16
Ugaona spojnica 19x23	17
Ugaona spojnica 26x22	18
Ugaona spojnica 26x43	19

Ugaona spojnica 17x14 **ART 0110** Corner joint 17x14



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
livenjem pod pritiskom.

Povrsina peskarena, dugme cinkovano

Vijak M6x20 cinkovan

Matica M6 cinkovana




EN/Technical information:

Made of aluminum and zinc alloy
by pressure casting.

The surface is sandblasted, the button is galvanized

Screw M6x20 galvanized



Nut M6 galvanized




Vijak 6x20



Matica M6



Imbus ključ 5







Ugaona spojnica 17x14 namenjena za spajanje
aluminijumskih profila za prozore i vrata.

Profil: Profilati

Spojница se isporučuje montirana

Potreban imbus ključ za montažu.

Ugaona spojnica 23x18 ART 0120
Corner joint 23x18



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena, dugme cinkovano

Vijak M5x20 cinkovan

Matica M5 cinkovana

EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted, the button is galvanized

Screw M5x20 galvanized



Nut M5 galvanized



Vijak 5x20



Matica M5




Ugaona spojnica 23x18 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.

Profil: Elvial,





Spojnica se isporučuje montirana

Potreban imbus ključ za montažu.



Imbus ključ 4

Ugaona spojnica 24x19 **ART 0130**
 Corner joint 24x19






SR/Tehničke informacije:
 Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.
 Povrsina peskarena, dugme cinkovano
 Vijak M6x20 cinkovan
 Matica M6 cinkovana

EN/Technical information:
 Made of aluminum and zinc alloy
 by pressure casting.
 The surface is sandblasted, the button is galvanized
 Screw M6x20 galvanized
 Nut M6 galvanized



Vijak 6x20

Matica M6






Imbus ključ 5

Ugaona spojnica 24x19 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.
 Profil: Vujal,
 Spojnica se isporučuje montirana


Potreban imbus ključ za montažu.

Ugaona spojnica 27x23 **ART 0140** Corner joint 27x23






SR/Tehničke informacije:
 Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.
 Povrsina peskarena, dugme cinkovano
 Vijak M6x20 cinkovan
 Matica M6 cinkovana

EN/Technical information:
 Made of aluminum and zinc alloy
 by pressure casting.
 The surface is sandblasted, the button is galvanized
 Screw M6x20 galvanized
 Nut M6 galvanized



Vijak 6x20

Matica M6







Imbus ključ 5

Ugaona spojnica 27x23 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.
 Profil: Tehnomarket, Profilati, FeAl
 Spojnica se isporučuje montirana

Potreban imbus ključ za montažu.

Ugaona spojnica 28x14 **ART 0150** Corner joint 28x14



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena, dugme cinkovano

Vijak M6x20 cinkovan

Matica M6 cinkovana

EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted, the button is galvanized

Screw M6x20 galvanized




Nut M6 galvanized



Vijak 6x20



Matica M6



Imbus ključ 5




Ugaona spojnica 28x14 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.

Profil: Elvial,

Spojnica se isporučuje montirana


Potreban imbus ključ za montažu.

Ugaona spojnica 28x19 **ART 0151** Corner joint 28x19





SR/Tehničke informacije:
 Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.
 Povrsina peskarena, dugme cinkovano
 Vijak M5x20 cinkovan
 Matica M5 cinkovana

EN/Technical information:
 Made of aluminum and zinc alloy
 by pressure casting.
 The surface is sandblasted, the button is galvanized
 Screw M5x20 galvanized
 Nut M5 galvanized






Vijak 6x20 Matica M6



Imbus ključ 5

Ugaona spojnica 28x19 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.
 Profil:
 Spojnica se isporučuje montirana
 Potreban imbus ključ za montažu.

Ugaona spojnica 28x38,5 ART 0155
Corner joint 28x38,5






SR/Tehničke informacije:
 Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.
 Povrsina peskarena, dugme cinkovano
 Vijak M6x20 cinkovan
 Matica M6 cinkovana

EN/Technical information:
 Made of aluminum and zinc alloy
 by pressure casting.
 The surface is sandblasted, the button is galvanized
 Screw M6x20 galvanized
 Nut M6 galvanized



Vijak 6x20

Matica M6







Imbus ključ 5

Ugaona spojnica 28x38,5 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.
 Profil: Tehnomarket, Profilati, FeAl
 Spojnica se isporučuje montirana



Potreban imbus ključ za montažu.

Ugaona spojnica 28x42 **ART 0160** Corner joint 28x42




SR/Tehničke informacije:
 Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.
 Povrsina peskarena, dugme cinkovano
 Vijak M6x20 cinkovan
 Matica M6 cinkovana

EN/Technical information:
 Made of aluminum and zinc alloy
 by pressure casting.
 The surface is sandblasted, the button is galvanized
 Screw M6x20 galvanized
 Nut M6 galvanized



Vijak 6x20 Matica M6






Imbus ključ 5

Ugaona spojnica 28x42 namenjena za spajanje aluminijumskih profila za prozore i vrata.
 Profil: Tehnomarket, Profilati, FeAl
 Spojnica se isporučuje montirana

Potreban imbus ključ za montažu.

Ugaona spojnica 28x36 **ART 0161**
Corner joint 28x36



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
lijevanjem pod pritiskom.

Površina peskarena, dugme cinkovano

Vijak M6x20 cinkovan

Matica M6 cinkovana




EN/Technical information:

Made of aluminum and zinc alloy
by pressure casting.

The surface is sandblasted, the button is galvanized

Screw M6x20 galvanized


Nut M6 galvanized




Vijak 6x20



Matica M6



Imbus ključ 5







Ugaona spojnica 28x36 namenjena za spajanje
aluminijumskih profila za prozore i vrata.

Profil: ,
Spojnica se isporučuje montirana

Potreban imbus ključ za montažu.

Ugaona spojnica 28x31 **ART 0163**
Corner joint 28x31





SR/Tehničke informacije:
Proizvedena od legure aluminijuma i cinka
livenjem pod pritiskom.
Povrsina peskarena, dugme cinkovano
Vijak M6x20 cinkovan
Matica M6 cinkovana

EN/Technical information:
Made of aluminum and zinc alloy
by pressure casting.
The surface is sandblasted, the button is galvanized
Screw M6x20 galvanized
Nut M6 galvanized



Vijak 6x20

Matica M6




Imbus ključ 5

Ugaona spojnica 28x31 namenjena za spajanje
aluminijumskih profila za prozore i vrata.
Profil: Tehnomarket, Profilati, FeAl
Spojnica se isporučuje montirana




Potreban imbus ključ za montažu.

Ugaona spojnica 31x18 **ART 0120**
Corner joint 31x18



SR/Tehničke informacije:
Proizvedena od legure aluminijuma i cinka
livenjem pod pritiskom.
Površina peskarena, dugme cinkovano
Vijak M5x20 cinkovan
Matica M5 cinkovana

EN/Technical information:
Made of aluminum and zinc alloy
by pressure casting.
The surface is sandblasted, the button is galvanized
Screw M5x20 galvanized
Nut M5 galvanized




SECTION A-A

SCALE 1 : 1




Vijak 5x20

Matica M5






Ugaona spojnica 31x18 namenjena za spajanje
aluminijumskih profila za prozore i vrata.
Profil: Elvial
Spojnica se isporučuje montirana

Potreban imbus ključ za montažu.



Imbus ključ 4

Ugaona spojnica 33x14 **ART 0180** Corner joint 33x14



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Površina peskarena, dugme cinkovano

Vijak M6x20 cinkovan

Matica M6 cinkovana


EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted, the button is galvanized




Screw M6x20 galvanized

Nut M6 galvanized



Vijak 6x20

Matica M6



Imbus ključ 5





Ugaona spojnica 33x14 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.

Profil: Tehnomarket

Spojnica se isporučuje montirana

Potreban imbus ključ za montažu.

Ugaona spojnica 35x18 **ART 0190** Corner joint 35x18



Vijak 5x20

Matica M5

SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena, dugme cinkovano

Vijak M5x20 cinkovan

Matica M5 cinkovana




EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted, the button is galvanized

Screw M5x20 galvanized

Nut M5 galvanized



Imbus ključ 4





Ugaona spojnica 35x18 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.

Profil: Elvial

Spojnica se isporučuje montirana



Potreban imbus ključ za montažu.

Ugaona spojnica 19x23 ART 0210
Corner joint 19x23




SR/Tehničke informacije:
 Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.
 Povrsina peskarena, dugme cinkovano
 Vijak M6x20 cinkovan
 Matica M5 cinkovana

EN/Technical information:
 Made of aluminum and zinc alloy
 by pressure casting.
 The surface is sandblasted, the button is galvanized
 Screw M6x20 galvanized
 Nut M6 galvanized






Ugaona spojnica 19x23 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.
 Profil: Alumil, Akpa, Asistal
 Spojnica se isporučuje montirana

Potreban imbus ključ za montažu.




Imbus ključ 5

Ugaona spojnica 26x22 ART 0220
Corner joint 26x22






SR/Tehničke informacije:
 Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.
 Povrsina peskarena, dugme cinkovano
 Vijak M6x20 cinkovan
 Matica M6 cinkovana

EN/Technical information:
 Made of aluminum and zinc alloy
 by pressure casting.
 The surface is sandblasted, the button is galvanized
 Screw M6x20 galvanized
 Nut M6 galvanized



Vijak 6x20 Matica M6






Imbus ključ 5

Ugaona spojnica 26x22 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.
 Profil: Alumil, Akpa, Asistal
 Spojnica se isporučuje montirana


Potreban imbus ključ za montažu.

Ugaona spojnica 26x43 ART 0221
Corner joint 26x43




SECTION A-A

SCALE 1 : 1




SR/Tehničke informacije:
 Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.
 Povrsina peskarena, dugme cinkovano
 Vijak M6x20 cinkovan
 Matica M6 cinkovana

EN/Technical information:
 Made of aluminum and zinc alloy
 by pressure casting.
 The surface is sandblasted, the button is galvanized
 Screw M6x20 galvanized
 Nut M6 galvanized



Vijak 6x20 Matica M6





Ugaona spojnica 26x43 namenjena za spajanje
 aluminijumskih profila za prozore i vrata.
 Profil: Alumil, Akpa, Asistal
 Spojnica se isporučuje montirana

Potreban imbus ključ za montažu.

03 Ugaone spojnice za klizne sisteme

Ugaona spojnica 24x10,5	21
Ugaona spojnica 26x10,5.....	22
Ugaona spojnica 28x10,7.....	23

Ugaona spojnica 24x10,5 ART 0320
Corner joint 24x10,5



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena, dugme cinkovano

Vijak M6x13,5 sa konusnom glavom cinkovan



EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted, the button is galvanized
 Screw M6x13,5 galvanized



Vijak 6x13,5 sa konusnom glavom



Imbus ključ 5




Ugaona spojnica 24x10,5 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za klizne sisteme

Profil: Alumil, Akpa, Asistal,

Spojnica se isporučuje montirana

Potreban imbus ključ za montažu.

Ugaona spojnica 26x10,5 ART 0320
Corner joint 26x10,5



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.


Površina peskarena, dugme cinkovano

Vijak M6x13,5 sa konusnom glavom cinkovan



EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted, the button is galvanized
 Screw M6x13,5 galvanized



Vijak 6x13,5 sa konusnom glavom






Imbus ključ 5

Ugaona spojnica 26x10,5 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za klizne sisteme
 Profil: Alumil, Akpa, Asistal,
 Spojnica se isporučuje montirana


Potreban imbus ključ za montažu.

Ugaona spojnica 28x10,7 ART 0340
Corner joint 28x10,7






SR/Tehničke informacije:
 Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.
 Povrsina peskarena, dugme cinkovano
 Vijak M6x13,5 sa konusnom glavom cinkovan

EN/Technical information:
 Made of aluminum and zinc alloy
 by pressure casting.
 The surface is sandblasted, the button is galvanized
 Screw M6x13,5 galvanized



Vijak 6x13,5 sa konusnom glavom



Ugaona spojnica 28x10,7 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za klizne sisteme
 Profil: Alumil, Akpa, Asistal,
 Spojnica se isporučuje montirana

Potreban imbus ključ za montažu.



04 Ugaone spojnice za štipanje

Ugaona spojnica 24x10,5	21
Ugaona spojnica 26x10,5.....	22
Ugaona spojnica 28x10,7.....	23

05 Ugaone spojnice za sisteme drvo-aluminijum

Ugaona spojnica 16x5-4	29
Ugaona spojnica 17x5-4	30
Ugaona spojnica 14x5-2.....	31
Ugaona spojnica 32x5-4	32
Ugaona spojnica 30x5-4	33
Ugaona spojnica 17x13-2.....	34
Ugaona spojnica 18x5-2	35
Ugaona spojnica 20x5-4	36

Ugaona spojnica 16x5 **ART 0505** Corner joint 16x5



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena





Vijak M6x5 za torex ključ dva leva, dva desna

EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted

Screw M6x5





Ugaona spojnica 16x5 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za sisteme drvo-aluminijum
 Profil:Šamarica, Smaj produkt
 Spojnica se isporučuje montirana

Potreban torex ključ za montažu.

Torex ključ T20

Ugaona spojnica 17x5 ART 0506
Corner joint 17x5



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena

Vijak M6x5 za torex ključ dva leva, dva desna


EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.


The surface is sandblasted

Screw M6x5



A



Vijak 6x5 za
 torex ključ levi



Vijak 6x5 za
 torex ključ desni



Torex ključ T20


Ugaona spojnica 17x5 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za sisteme drvo-aluminijum

Profil: Uniform

Spojnica se isporučuje montirana

Potreban torex ključ za montažu.

Ugaona spojnica 14x5 **ART 0510** Corner joint 14x5



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena


Vijak M6x5 za torex ključ jedan levi, jedan desni

EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted



Screw M6x5



Vijak 6x5 za
 torex ključ levi



Vijak 6x5 za
 torex ključ desni



Torex ključ T20



Ugaona spojnica 14x5 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za sisteme drvo-aluminijum

Profil: Unidas

Spojnica se isporučuje montirana

Potreban torex ključ za montažu.

Ugaona spojnica 32x5 **ART 0521** Corner joint 32x5



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena




Vijak M6x5 za torex ključ dva leva, dva desna

EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted

Screw M6x5





Ugaona spojnica 32x5 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za sisteme drvo-aluminijum

Profil:
 Spojnica se isporučuje montirana

Potreban torex ključ za montažu.

Torex ključ T20

Ugaona spojnica 30x5 **ART 0521** Corner joint 30x5



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Površina peskarena




Vijak M6x5 za torex ključ dva leva, dva desna

EN/Technical information:


Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted


Screw M6x5



Vijak 6x5 za
 torex ključ levi



Vijak 6x5 za
 torex ključ desni



Torex ključ T20


Ugaona spojnica 30x5 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za sisteme drvo-aluminijum

Profil:

Spojnica se isporučuje montirana

Potreban torex ključ za montažu.

Ugaona spojnica 17x13 ART 0540
Corner joint 17X13



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena




Vijak M6x5 za torex ključ jedan levi, jedan desni

EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted

Screw M6x5




Ugaona spojnica 17x13 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za sisteme drvo-aluminijum

Profil: Šamarica

Spojnica se isporučuje montirana

Potreban torex ključ za montažu.

Ugaona spojnica 18x5 **ART 0550** Corner joint 18x5



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena


Vijak M6x5 za torex ključ jedan levi, jedan desni

EN/Technical information:

Made of aluminum and zinc alloy
 by pressure casting.


The surface is sandblasted

Screw M6x5



Vijak 6x5 za
 torex ključ levi

Vijak 6x5 za
 torex ključ desni




Torex ključ T20

Ugaona spojnica 18x5 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za sisteme drvo-aluminijum
 Profil: Smaj produkt, Omorika
 Spojnica se isporučuje montirana

Potreban torex ključ za montažu.

Ugaona spojnica 20x5 **ART 0521** Corner joint 20x5



SR/Tehničke informacije:

Proizvedena od legure aluminijuma i cinka
 livenjem pod pritiskom.

Povrsina peskarena





Vijak M6x5 za torex ključ dva leva, dva desna

EN/Tehcnical information:


Made of aluminum and zinc alloy
 by pressure casting.

The surface is sandblasted


Screw M6x5



Vijak 6x5 za
 torex ključ levi



Vijak 6x5 za
 torex ključ desni



Torex ključ T20

Ugaona spojnica 20x5 namenjena za spajanje
 aluminijumskih profila za prozore i vrata
 za sisteme drvo-aluminijum

Profil: Windor

Spojnica se isporučuje montirana

Potreban torex ključ za montažu.